

MISSOURI MONTHLY TUBERCULOSIS DISEASE REPORT

Reported Number of Tuberculosis Disease Cases for MMWR Weeks 1-17 2008 versus 2009

| Geographic Area | Number of Counted Cases: 2008 | Number of Counted Cases: 2009 | Difference in Number of Counted Cases: 2008 to 2009 | Percent of 2009 Cases that were Preventable |
|---|-------------------------------------|-------------------------------------|--|---|
| St. Louis City | 2 | 2 | 0 | 0% |
| St. Louis County | 14 | 6 | -8 | 17% |
| Kansas City | 6 | 3 | -3 | 0% |
| Springfield/Greene | 0 | 1 | 1 | 0% |
| <hr/> | | | | |
| <u>Region(excluding metropolitan areas)</u> | | | | |
| <i>Northwestern</i> | 3 | 2 | -1 | 0% |
| <i>Central</i> | 7 | 1 | -6 | 0% |
| <i>Southeastern</i> | 1 | 2 | 1 | 0% |
| <i>Southwestern</i> | 0 | 2 | 2 | 0% |
| <i>Eastern</i> | 0 | 3 | 3 | 0% |
| <hr/> | | | | |
| Institutionalized Patients* | 0 | 0 | 0 | 0% |
| | | | | |
| TOTAL** | 33 | 22 | -11 | 5% |

*Institutionalized patients are those individuals who are incarcerated in federal or state prisons.

Provisional Data from the Tuberculosis Information Management System (TIMS) Subject to Change

** The total percent of preventable cases is derived by dividing the total number (not percentage) of preventable cases by the total number of 2006 counted cases.

Bureau of Communicable Disease Control and Prevention
Section for Disease Control and Environmental Epidemiology
Division of Community and Public Health
Missouri Department of Health and Senior Services